- 340-1393. Spinaci, S., Bugiani, M., Arossa, W., Bucca, C. A sultivariate analysis of the risk in chronic chstructive lung disease (COLD). J. Zhronic Dis. 1985; 36(5):449-53.
- √340-1394. Spitzer, W., Lawrence, V., Dales, R., Hill, G. et al. Links between passive smoking and disease: a best-evidence synthesis. A report of the Working Group on Passive Smoking [see comments]. Comment in: Clin Invest Med 1991 Oct:14(5):484-6: discussion 486-9. Source: Clin Invest Med. 1990 Feb:13(1):17-42. discussion 43-6.
- 340-1395. @Springer, H 1988. Cleaning the air. INJ 173(61:357.
- 340-1396. Srinivagan, S., Freedman, D., Webber, L., Berenson, G.
  Black-while differences in cholesterol levels of gerum highdensity lipoprotein subclasses among children: the Bogalusa Heart Study. Circulation 1987 Aug; 76(2):272-9.
- √340-1397. Stalhandske, Torbjorn. Effects of Increased Liver Metabolism of Nicotine on Its Uptake, Elimination and Toxicity in Nice. Acta physiol. scand. 1970. 80. 222-234.
- 340-1398. @Stanwick, R., Thomson, M., and Fish, D. 1987. The prevalence of restrictions on smoking and policies governing smoking in Manitoba worksites. Canadian J. Public Realth 78:414-415.
- 340-1399. Stanck, W. and P. Krenmayr. Quantitative Determination of M-Acetyl (-L-)cysteine Deriatives in Human Urine by Tandem Mass Spectrometry. Biological Mass Spectrometry, Vol. 22, 133-142 (1993).
- 340-1400. Stanislawski, B.K. and Caspary, S. Pharmacokinetics of nicotinine after application of two different cotinine patches under steady state conditions. Arsneim-Forsch./Drug Res. 42 (11), No.9 (1992).
- 340-1401. Stave, Gregg and Jackson, G. Effect of a total work-site smoking ban on employee smoking and attitudes. J Occupa Med/Vol. 33 No.8/Ang. 1991.
- 340-1402. Stecenko, A., McNicol, K., Sauder, R. Effect of passive smoking on the lung of young lambs. Pediatr Res. 1986 Sep; 20(9):853-8. 5-290

- √340-1403. \*Steenland, K. Passive smoking and the risk of heart disease [see comments]. Comment in: JAMA 1992 June 24; 267(24):3284; discussion 3285-6. Comment in: Jama 1992 June 24:267(24):3284-5; discussion 3285-6. JAMA 1992 Jan 1:267(1):94-9. ♀ ♀♀♀
- 340-1404. Stellman, S., Boffetta, P. and Garfinkel, L. Smoking habits of 600,000 American men and women in relation to their excupations. Amer J. Indetrial Med 13:43-58 (1988).
- /340-1405. Sterling, L. 1988. Indoor air quality [Letter]. J. Occup.Med. 30(3):272.
- 340-1406. Sterling, T. 1987. Environmental tobacco smoke and indoor air quality in modern office work environments (letter). J. Occup. Med. 29(8):632-634.
- 340-1407. Sterling, Ted. Exposure to Environmental Tobacco Smoke in the Mon Industrial Workplace Under Different Conditions of Ventilation and Smoking Regulation.
- 340-1408. Sterling, T. and Mueller. B. 1988. Concentrations of nicotine, RSP, CO, and CO2 in nonsmoking areas of offices ventilated by air recirculated from smoking designated areas. Am. Ind. Eyg. Assoc. J. 49(9):423-426.
- 340-1409. Sterling, T. and Sterling, E. 1984. Investigations on the effect of regulating smoking on levels of indoor pollution and on the perception of health and comfort of office workers. IN: ETS-Environmental Tobacco Smoke: Report from a workshop on effects and exposure levels. March 15-17, 1983, Geneva, Switzerland, Rylander, R., Peterson, Y., and Snella, M.-C., eds., European J. Resp. Dis. Supplement Mo 133, 65:17-32
- 340-1410. Sterling T., Weinkam, J. The confounding of occupation and smoking and its consequences. Soc Sci Ned 1990; 30(4):457-
- 340-1420. Sterling, T., Collett, C., and Sterling, E., 1987a.
  Environmental tobacco smoke and indoor air quality in modern
  office work environments. J. Occ. Med. 29(1):57-62.
- 340-1421. Sterling, T., Dimich, H., and Kobayashi, D. 1982. Indoor byproduct levels of tobacco smoke: A critical review of the literature. J. Air Pollution Contr. Assoc. 32:250-259.

11 :

# ATTACHMENT IX

- 340-1422. Sterling, T., Collett, C., Mueller, B., and Sterling, E.
  1987b. The effect of instituting smoking regulations in
  office buildings on indoor contaminant levels. Practical
  Control of Indoor Air Problems. Proceedings of the Ashram
  Conference TAQ'87, May 18-20, 1987, Arlington, Vinginia;
  Atlanta, Georgia, American Society of Heating, Refrigerating,
  and Air-Conditioning Engineers, Inc., Pp. 66-71.
- /340-1423. Sterling, Ella, C. Collett, S. Turner and C. Downing. Commissioning to avoid indoor air quality problems.
- √340-1424. Stewart, Steven M. Reaching agreements on indoor air quality. Engineers, tenants and building owners/managers can cause or preventy indoor air quality problems.
- 340-1425. Stick, Hans F. The Use of Ricronuclei in Tracing the cenotoxic damage in the oral mucosa of tobacco users.
- /340-1426. Stidley, Christine A. and J. Samet. A Review of Ecologic Studies of Lung Cancer and Indoor Radon. Review Paper. Health Phys. 65(3):234-251; 1993.
- 340-1427. Stirling, H. and Handley, J. 1987. Passive amoking in utero; Its effects on neonatal appearance [Letter]. Br. Med. J. 295(6603):928-929.
- 340-1428. Stjernfeldt M., Berglund, K., Lindsten, J., and Ludwigsson, J. 1986. Naternal smoking during pregnancy and risk of childhood cancer. Lancet 1(8494):1350-1352.
- V340-1429. \*Stockwell, H., Goldman, A, Lyman, G., Noss, C. et al.
  Environmental tobacco smoke and lung cancer risk in
  nonsmoking women [see comments] Comment in: J. Watl Cancer
  Institute 1992 Sep 16; 84(18):1387-8. Source: J. Watl.
  Cancer Inst. 1992 Sep 16; 84(18):1417-22. J. 342
- V340-1430. Stoichev, Igril I., D. Todorov and L. Christova. Dominantlethal mutations and micronucleus induction in male BALB/c, BDF1 and H mice by tobacco smoke. Mutation Research 319(1993)285-292.
- 7340-1431. Stone, Richard. Study Implicates Second-Hand Smoke.
- √340-1432. Strachan, D., Jarvis, M., and Feyerabend, C. 1989. Passive smoking, salivary cotinine concentrations, and middle ear effusion in 7 year old children. Br. Med. J. 298(6687):1549-1552.

- 340-1433. Strachan, D., Jarvis, M. and Feyerabend, C. The relationship of salivary cotinine to respiratory symptoms, spirometry, and exercise-induced bronchospasm in seven-year-old children. Am Rev Respir Dis 1990: 142-147-151.
- 340-1434. Strasser, A. 1987. Smoking bans protect nonsmokers; more reports identity funes' dangers [Editorial]. Occup. Health Saf. 56(4):20.
- 340-1435. Strome, Marshall, P. Ward, J. Johnson and H. Goepfert. Carcinoma of the tonsil. Head & Meck, Sept./Oct. 1993.
- 340-1436. Stuart, B. Health assessment of environmental pollutants; proliferative and degenerative diseases Toxicol. Ind. Realth 1988 Dec; 4(4):461-7.
- 340-1437. Studying reproductive risks, smoking, SANA, Jan. 1986-Vol. 255, No.1. Medical News.
- 340-1438. Sudan, B. 1987 [Detter]. Annals of Allergy 58(3):222-223
- 340-1439. Sue, D., Oren, A., Hansen, J., Wasserman, X. Lung function and exercise performance in smoking and nonsmoking asbestos-exposed workers. Am. Rev. Respir. Dis. 1985 Gep; 132(3):612-6.
- 340-1440. Sugiyama, Y., Isumi, T., Ohishi, M., Yotsumoto, H. et al.

  Effects of smoking on the synthesis of leukotriene B4 by rat
  alveolar macrophages. Respiration 1989; 56(3-4):198-203.
- 840-1441. Sullivan, Jacob. Passive Reporting on Passive Smoke.
- M40-1442. Sun, Yi-Ping, B. Zhu, R. Sievers, S. Glants and W. Parmley.
  Metoprolol Does Not Attenuate Atherosclerosis in Lipid-Fed
  Rabbits Exposed to Environmental Tobacco Smoke. Circulation
  Vol. 89, No.5, May 1994.
- \$40-1443. Sun, Yi-Ping, B. Shu, R. Sievers, W. Isenberg et al. Passive Smoking Increases Experimental Atherosclerosis in Cholesterol-fed Rabbits. Suppl I, Circulation Vol. 86, Mo.4, Oct. 1992.
- 340-1444. Supreme Court of the United States. Industrial Union Dept.,
  AFL-Clo v American Petroleum: Institute et al. Fifth
  Circuit No. 78-921. Oct. 1979.

- 1986. The health consequences of involuntary smoking.
- 340-1446. Svendsen, K., Ruller, L. et al. Effects of passive smoking in the multiple risk factor intervention trial. An Journal of apidemiology, Vol. 126, No. 5, Nov. 1989.
- 340-1447. Svendsen, K., Kuller, L., Martin, M., Ockens, J. Effects of passive smoking in the Multiple Risk Factor Intervention Tripl. Am J Epidemiol. 1987 Nov; 126(5):783-95.
- √340-1448. Svendsen, K. and Kuller, L. 1989. Re 'Effects of passive smoking in the Multiple Risk Factor Intervention Trial' [Letter]. Am. J. Epidemiol. 129(1):228. 8\_ 295
- √340-1449. Svensson, C. Clinical pharmacokinetics of nicotine. Clin Pharmacokinetics 12:30-40, 1987.
- /340-1450. Svenson, C., Pershagen, G. and Klominer, J. Smoking and passive smoking in relation to lung cancer in women. (Acta Oncologica. 1989 28:623-628). 8\_ 296
- 340-1451. Stabo, E., Mulshine, J., Epidemiology, pregnostic factors, and prevention of lung cancer. Curr opin Oncol. 1993 Mar; 5(2):302-9.
- 340-1452. Swaab, D., Mirmiran, M. The influence of chemicals and environment on brain development, "behavioral terapology". Prog Clin Biol Res 1985; 163B:447-51
- √340-1453. Tabassian, Ali R., R. Snider, E. Hylen, M. Cassidy and K. Becker. Heterogeneity Studies of Hamster Calcitonin Following Acute Exposure to Cigarette Smoke: Evidence for Monomeric Secretion. Anatomical Record 236;253-256 (1993).
- 340-1454. Tager, I., Weiss, S., Munoz, A., Rosner, B. and Speizer, F. 1983. Longitudinal study of the effects of maternal smoking on pulmonary function in children. New Eng. J. Med. 309(12):699-703.
- $\sqrt{340-1455}$ . Tager, I. 1985. A word to smokers with spouses and/or children. J. Resp. Dis. 6(2):103, 106, 110.  $\sqrt{9-397}$
- 340-1456. Tager, I. 1936. Passive smoking and respiratory health in children-sophistry or cause for concern? Am. Nev. Kesp. Dis. 138(6):959-961.

- 340-1457. Tager, I. 1988. Passive smoking--bronchial responsiveness and atopy. Am. Rev. Respir. Dis. 138(3):507-509.
- 340-1458. Tagef, I. 1989. Health effects of involuntary smoking in the workplace. M. Y. State J. Ned. 89(1):27-31.
- √340-1459. Tancrede, K., Wilson, R., Seise, L., and Crouch, E. 1987. The carcinogenic risk of some organic vapors indoors: A theoretical survey. Atmos. Environ. 21:2187-2205.
- 340-1460. Tang, Hongmao, G. Richards, C. Benner, J. Tuominen, Milton Lee, E. Lewis, L. Hansen and D. Ratough. Solanesol: A Tracer for Environmental Tobacco Smoke Particles. Environ Sci Technol 1990, 24, 848-852.
  - 340-1461. Tannahill, A. 1987. Introducing a non-moking policy./ Occup. Health (Lond). 38(3):82-84
  - 340-1462. Tannenbaum, S. Hemoglobin-caroinogen adducts as molecular biomarkers in epidemiology. Princess Takamatsu Symp 1990; 21:351-60.
- 340-1463. Tannenbaum, S., Bryant, M., Skippen, P., and Maclure, M.
  1986. Memoglobin-adducts of tobacop-related aromatic amines:
  Application to molecular epidemiology. Banbury Report:
  Wechanisms in Tobacco Carolnogenesia 23:63-70
- 340-1464. Tauler, E. Maternal smoking during pregnancy and risk of cancer in childhood. 90(6):265-266, 1988.
- 340-1465. Taylor, D., Blaser, M. The epidemiology of Helicobacter pylopi injection. Epidemiol Rev 1992; 13:42-59.
- 340-1466. Taylor, B. and Wadsworth, J. 1987. Maternal smoking during pregnancy and lower respiratory tract illness in early life.

  Arch. Dis. Child 62(8):786-791. 4\_399
- 340-1467. Taylor, L. Greenberg, S., Buffler, P. Health effects of indoor passive amoking. Tex. Red. 1985 May, 81(5):35-41.
- 340-1468. Technical Support. Indoor Air Quality Investigation. OSHA
  Instruction CPL 2-2.20BCH?
- 340-1469. Theuwen H., Amlders, R. and Van Rossum, J. 1988-1989.
  Simultaneous estimation of nicotine and cotinine levels in hiological fluids using high-resolution capillary column gas chromatography combined with solid phase extraction work-up. Mol. Biol. Rep. 13-(3):165-175.

- 340-1470. Teramoto, Shinji, Y. Fukuchi, Y. Uejima, K. Teramoto and H. Orimo. Influences of Chronic Tobacco Smoke Inhalation on Aging and Oxidant-Antioxidant Balance in the Senescence-Accelerated Mouse (SAM)-P/2. Experimental Gerontol, Vol. 28, pp.87-95, 1993.
- V340-1471. Therr, Dawn. Indoor Environmental Quality "From The Ground Up". Appl Occup Environ Hyg 8(8), Aug. 1993.
- 340-1472. 6 . 1985. The murky hazards of secondhand smoke.
- √340-1473. The Costs and Benefits of Smoking Restrictions. An Assessment of the Smoke-Free Environment Act of 1993 (H.R. 3434).
  - 340-1474. The Physicochemical Nature of Sidestream Smoke and Environmental Tobacco amoke
  - 340-1475. The Shift toward healthier dining: a war in the trenches. [Letter].
  - 340-1476. Tikkanen Jorma and O. Heinonen. Maternal Exposure to Chemical and Physical Factors During Frequency and Cardiovascular Malformations in the Offspring Teratology 49,591-600 (1991).
- √340-1477. Tikkanen, Jorma O. Heinonen. Occupational risk factors for congenital heart disease. Int Arch Occup Environ Hith (1992) 64:59-64.
- 340-1478. Thomas, D., Thompson, F., Jf., Brackin, B., and Jones, E. 1989. A burning issue: Attitudes towards environmental tobacco smoke. J. Riss. State Med. Assoc. 29(5):131-135.
- 340-1479. Thomas, L. 1989. Last gasp Nurs. Stand 3(15):22-21.
- 340-1480. Thompson, G. Genetic and environmental determinants of plasma lipoproteins relevant to coronary heart disease. Br. J. Clin. Pract. Symp Suppl. 1987 Dec: 54:47-53
- 340-1481. Thompson, S., Stone, R., Nanchahal, R., and Wald, N. 1990. Relation of urinary cotinine concentrations to digarette smoking and to exposure to other people's smoke. Thorew 45:356-361.
- 340-1482. Thron, H. 1983. Smoking passive smoking. \$5:123-143.

- 340-1483. Tikkshen, J., Beinonen O. Risk factors for cardiovascular malformations in Finland. Eur J. Epidemioi 1920 Dec; 5/4):348-36.
- √340-1484. Tikkanen, J., Heinonen, O. Maternal exposure to chemical and physical factors during pregnancy and cardiovascular malformations in the offspring. Teratology 1991 Jun; 43(6):591-600.
- 340-1485. Tikkanen, J., Heinonen, O. Risk factors for Ventricular septal defect in Finzand. Public Health 1991 Har, 105(2) 199-112.
- 340-1486. 7ikkanen, J., Heinenen, O. Risk factors for conal malformations of the heart. Bur. J. Epidemiel 1992 Mar. 3(2):143-55.
- 340-1487. Fikkshen, J., Heinonen, O. Risk factors for atrial septel defect. Eur. J. Epidemiol 1892 Jul; 8(4):509-15.
- 340-1488. THA praises EPA decision on passive tobacco smoke. Texa Nedical Assn, Vol.89, No.3, Mar. 1993.
- 340-1489. Tobacco: Does It Have & Future? Buginess Week, July 1994.
  - 340-1490. Red 29(8):627. Tobacco smake and air quality [letter]. J. occup.
  - 340-1491. Tobacco product liability. JANA, Feb. 1986-Vol. 255, No. 8. Tobacco Liability-board of Trustees.
  - 340-1492. Tollinger, B.J., A. Hays, R. Lantz, P. Rittenhouse and M. Witten. Ala-P-Nitroanilide, A Substrate Cleavage Product of Neutral Endopeptidase, Levels are increased after Jet Fuel Exposure in Rats.
- 340-1493. Tominage. S. Trends in cancer mortality, incidence and survival in Japan. Gan To Kadaku Ryoho 1992 Jul. 19(8):1111-20.
- 340-1494. Tomkins, B. 1987. Gas chromatographic determination of phenols in sidestream smoke and indoor air. IARC Sci. Publ. 81:279-289.
- 340-1495. Tomkins, B., Darrall, K., Bai, E., and Phillips, G. 1987. Sampling and analysis of phenols in sidestream smoke and indoor air. IARC Sci. Publ. 81:175-181.

2046395731

11:

- 340-1496. 1988 Transporting smoke [editorial]. Dencet
- V340-1497. Travell, Janet. Absorption of Nicotine from Various Sites. Ann N>Y> Acad Sci, 90:13-30, 1960.
  - 340-1498. Trichopoulds, D. Passive smoking, birthweight, and, pestrogens [letter] Lancet 1988 Sep 27: 2(8509):743.
  - 340-1499. Trickopoulos B. 1988. Passive smoking and lung cencer. The Ipsen lecture 1987. Scand. J. Soc. Med. 15(2):75-79.
  - 340-1500. Trichopoulos, D., Kalandidi, A., Sparros, L., and McMahon, B.
    1981. Lung cancer and passive smoking. Int. J. Cancer
    271-4.
- √340-1501. Trichopoulos, D., Kalandidi, A., and Sparros, L. 1983. Lung cancer and passive smoking: Conclusion of Greek study. Lancet 2:677-678. ≤ 300
- 340-1502. Trichopoulos, D., Mollo, Fl, Tomatis, L., Agapitos, E. et al. Active and passive shoking and pathological indicators of lung cancer risk in an autopsy study. JAMA 1992 Oct 7:268(12):1697-701.
- 340-1503. Tredaniel, P. Boffetta, R. Saracci and A. Hirsh. Environmental Tobacco Smoke and the Risk of Cancer in Adults.Eur J Cancer, Vol.29A, No.14, pp.2058-2068, 1993.
- /340-1504. Tredaniel, J., P. Boffetta, R. Saracci and A. Hirsch.
  Exposure to environmental tobacco smoke and adult nonneoplastic respiratory diseases. Eur Respir J. 1994, 7, 173185.
- 340-1505. Tribble, Diane L., L. Giuliano, and S. Fortmann. Reduced plasma ascorbic acid concentrations in nonanokers regularly exposed to environmental tobacco smoke. Am J Clin Mutr 1983; 56:886-99.
- 340-1506. Troppe, C., Makar, A. Epidemiology, etiology, screening, prevention, and diagnosis in female genital cancer. Curr Opin Oncol 1991 Oct; 3(5):908-19.
- 340-1507. Tsimoyianis, G., Jacobson, M., Feldman, J., Antonio-Santiago, M., Clutario, B., Mussbaum, M., and Shenker, I. 1987.

  Reduction in pulmonary function and increased frequency of cough associated with smoking in teenage athletes.

  Pediatrics 80(1):32-36.

- v340-1509. Tunstall-Pedoe, H., Woodward, M., Brown, C. Tea drinking, passive smoking, smoking deception and serum cotinine in the Scottish Heart Health Study. J. Clin. Epidemiol 1991; 44(12):1411-4. 8\_30/
- 340-1510. Turk, B., Brown, J., Geisling-Sobotka, K., Froehlich, D., and Grimsrud, D., 1989. Indoor Air Quality and Ventilation Measurements in 38 Pacific Morthwest Commercial Buildings: Final Report: Volume 1. Measurement Results and Interpretation. Sovt Reports Announcements and Index Issue
- 340-1511. Turner K. Epidemiology of the allergic response. Ciber Lound Symp 1989; 147:205-22; discussion 222-9.
- √340-1512. Turner, Simon, L. Cyr and A. Gross. The Measurement of Environmental Tobacco Smoke in 585 Office Environments.
- 340-1513. Tweedie, R. and Mengersen, R. Lung cancer and passive smoking: reconciling the biochemical and epidemiological approaches. Br. J. Cancer 1992 oct: 66(4):700-5
- √340-1514. Tyndall, Richard L. and K. Ironside. Free-Living Amoebae: Health Concerns in the Indoor Environment.
- 340-1515. Uberla, K. 1987 Lung cancer from passive smoking:

  Mypothesis or convincing evidence? Int. Arch Occup.

  Environ. Resith 59 (5):421-437.
- 340-1516. Ueda, Y., Morikawa, H., Funakoshi, T., Kobayashi, A., Yamasaki, A., Takeuchi, K., Mockizuki., M., Jimbo, T., and Sato, A. 1989. [Estimation of passive emoking during pregnancy by cotinine measurement and its effect on fetal growth.] Mippon Sanka Rujinka Gakkai Easshi 41(4):454-460.
- 340-1517. Ungar, W. and Ecobichon, D. 1986. Diagram metabolism in the grines pig materno-fetal model: Effects of cigarette spoke. Drug and Chem. Toxicol. 9(3-4):205-221.
- 340-1518. Upton, A. Are there thresholds for carcinogenesis? The thorny problem of low-level exposure. Ann. M.Y. Acad. Sci 1988; 534:863-84.

1.1